## THE KENYA NATIONAL EXAMINATIONS COUNCIL Kenya Certificate of Secondary Education

121/1

579

Paper 1

### **MATHEMATICS**

ALT A

Mar. 2022 - 21/2 hours



Name	Index Number
Candidate's Signature	Date

#### **Instructions to Candidates**

- (a) Write your name and index number in the spaces provided above.
- (b) Sign and write the date of examination in the spaces provided above.
- (c) This paper consists of two sections: Section I and Section II.
- (d) Answer all the questions in Section I and only five question from Section II.
- (e) Show all the steps in your calculation, giving your answers at each stage in the spaces provided below each question
- (f) Marks may be given for correct working even if the answer is wrong.
- (g) Non-programmable silent electronic calculators and KNEC mathematical tables may be used, except where stated otherwise.
- (h) This paper consists of 16 printed pages.
- (i) Candidates should check the question paper to ascertain that all the pages are printed as indicated and that no questions are missing.
- (j) Candidates should answer the questions in English.

For Examiner's Use Only

Section I

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	Total
	G	in the second			M		/			V			W.		3	

Section II

18	19	20	21	22	23	24	Total
	24						
	. 1	00	L				

**Grand Total** 





### SECTION I (50 marks)

Answer all the questions in this section in the spaces provided.

1. Evaluate  $\frac{1\frac{4}{5} + \frac{2}{3} \text{ of } 2\frac{1}{4} - \frac{3}{10}}{\frac{5}{6} + \frac{22}{39} \times 1\frac{2}{11}}$  (4 marks)

2. Two bells ring at intervals of 35 and 42 minutes respectively. The bells ring together at 8.48 a.m. Determine the time when the bells will ring together again. (3 marks)

3. Complete the figure below to show a rotational symmetry of order 3 about O. (3 marks)



4. Solve  $\frac{5}{3} - 2x < 1 - \frac{2}{3}x \le 2 - x$ . Hence list the integral values that satisfy the inequalities. (3 marks)

5. The size of two interior angles of an irregular polygon each measures 90°. All the other remaining interior angles each measure 150°.

Determine the number of sides of the polygon.

(3 marks)

6. In a race Kipsang maintained an average speed of 5 m/s. When he was 310 m to the finishing line, Mutunga was 50 m behind him. However, Mutunga finished the race 10 m ahead of Kipsang.

579

Determine Mutunga's average speed.

(3 marks)

7. Simplify  $(4 + 2y)^2 - (2y - 4)^2$ .

(2 marks)

8. A table is sold at Ksh 4 500 and a chair at Ksh 2 000. A salesman earns a commission of 8% on every table and 5% on every chair sold. On a certain week, he sold 3 more chairs than tables and his total earnings were Ksh 3 980.

Determine the number of chairs he sold that week.

(3 marks)

	5
9.	A translation T maps A(-6, 2) onto A'(3, 5).
	(a) Determine the translation vector T.
	(b) A point P'(-4, 2) is the image of P under T. Determine the coordinates of P. (2 marks)
	12. Line AB drawn below is a side of a trapezium ABCD.
	The bargar of a cone is 10 cm. A frontness whose water in a complete or in the building of the mark of the Determine the bullent of the continue.
10.	The cost of one litre of Detrol is Web 110. John?
10.	The cost of one litre of Petrol is Ksh 110. John's vehicle covers 12 km on one litre of petrol. He used Ksh 2 805 on petrol to travel from town A to town B. Jane's vehicle consumes 12.5 litres of Petrol for every 100 km travelled.
	Calculate the amount of money that Jane would use to travel from town A to B on the same road.

A Sem

Sem

(a) Using a ruler and pair of compasses only, complete trapezium ABCD in which AB is pendled to DC, ABAD = 67.5°, AD = 5 cm, BC = 5.5 cm and ABC is acute.

(t) Measure the Logal of DC (through of DC)

17 FYA omo (5 Jo - LA agam Thobickera (2 marks)

11	~ .	_
11.	Solve	e for A

$$\sin(2\theta - 15) = \cos 3\theta.$$

12. Line AB drawn below is a side of a trapezium ABCD.

۸		D
A	8cm	в

(a) Using a ruler and pair of compasses only, complete trapezium ABCD in which AB is parallel to DC,  $\angle$ BAD = 67.5°, AD = 5 cm, BC = 5.5 cm and  $\angle$ ABC is acute.

(3 marks)

(b) Measure the length of DC.

(1 mark)

13. Ali left Mombasa for Nairobi on Tuesday at 2.30 a.m. He arrived in Mtito Andei after 3 hours 12 minutes. He stayed in Mtito Andei for 36 hours and then left for Nairobi. He took 5 hours (Annual 25 minutes to arrive in Nairobi. (a) Find sic gra hear tenetion of the sacce Determine the day and time in the 12 hour system Ali arrived in Nairobi. (3 marks) 14. The height of a cone is 12 cm. A frustrum whose volume is one eighth the volume of the cone is cut off. Determine the height of the frustrum. (3 marks) 15. Solve the equation  $8^{x+1} - 2^{3x-1} = 120$ . (4 marks) > Kenya Certificate of Secondary Education, 2021 914016 121/1 Turn over

- 116. The A curve is given by  $y = 2x^3 + 3x^2 + 12x + 12$ . In value of no identify the large model and the large  $x = x^3 + 3x^2 + 12x + 12$ . 12 minutes. He stayed in Mitto Ander for 35 hours and then left for Nairobi. He took 5 hours
  - (Aram 1) minutes to wrive in National. (a) Find the gradient function of the curve.
  - (b) Determine the equation of the normal to the curve at the point (1, -1), in the form y = mx + c, where m and c are constants. (3 marks)

The height of a cone is 12 cm. A frustrum whose volume is one eightn the volume of the come is

# 18. (a) we The length of each side ((charmed 05) II NOITOJE BUCks 10 and Calculate the method arks)

Answer only five questions in this section in the spaces provided.

- 17. A factory packs fruit jam in cylindrical tins of radius 5 cm and height 15 cm. The tins are then packed into rectangular cartons each measuring 60 cm long, 30 cm wide and 30 cm high.
  - (a) Determine the maximum number of tins that can be packed in one carton.

(2 marks)

(2 dmarks)

(b) An empty carton and an empty tin weighs 560 g and 300 g respectively. The jam packed in one tin weighs 990 g. A pick-up which can carry a maximum of 600 kg is used to transport the jam.

Determine the maximum number of cartons the pick-up can carry.

(4 marks)

Calculate, correct to 2 decimal places

(4 martis)

(c) The factory delivered a pick-up full of cartons of jam to a retailer. The factory sells one carton to a retailer for Ksh 2 880. The retailer sells each tin at Ksh 110.

Calculate the percentage profit made by the retailer. none southers only

(4 marks)



18.	(a)	The length of each side of an equilateral triangle ABC is 10 cm. Calculate the triangle, correct to 2 decimal places.	e area of the (2 marks)
	is are then high	ory packs from ram in exhibition tios of radius 5 cm and beight 15 cm. The tin d into rectamation sarons each measurage of cm long. 30 cm wide and 30 cm	<ol> <li>A fact packet</li> </ol>
3)	(2 mark	Determine the maximum number of this that can be packed in one sarton.	(a)
	(b)	Triangle ABC in 18(a) forms the base of a solid triangular pyramid VABC. T perpendicular height of the pyramid is 15 cm.	he
		Calculate the volume of the pyramid.	(2 marks)
	jubi predser nard to	An empty carron and an empty fin wright 560 g and 300 g respectively. The in our tin weight 390 or A pieloup which can carry a manufaction of 600 kg restransport the jam.	
		Determine the maximum number of carrons the pick up carry.	
	(c)	The pyramid VABC in 18(b) above is recast into a cone of base radius 3.5 cm	1.
		Calculate, correct to 2 decimal places:	
		(i) the height of the cone;	(2 marks)
51).		Enc factory defivered a pick-up full of carrons of jam to a retailed. The factor carron to a retailer for Ksh 2 885. The retailer sells each tim at Ksh 116.	
	sk.em 4.	(ii) the surface area of the cone. vd obant after a supplied and surface 3	(4 marks)

Elimu School bought 25 textbooks and 35 exercise books for Ksh 13 500 from bookshop A. From the same bookshop Soma School bought 21 textbooks and 38 exercise books and spent Ksh 1 300 less than Elimu School.
1 500 less than Ellind School.

Take x to represent the price of a textbook and y to represent the price of an exercise book.

(a) Form two equations representing the above information.

(2 marks)

(b) Use matrix method to determine the price of each item.


(5 marks)

(c) In bookshop B, the cost of a textbook was 5% less and that of an exercise book was 5% more than in bookshop A. Kasuku School bought the same number of textbooks and exercise books as Elimu School in bookshop B.

Calculate the difference in the amount spent by Kasuku School and Elimu School.

(3 marks)

20. The figure below is a quadrilateral ABCD in which AB = 8 cm, BC = 6 cm, loaded mail and CD = AD,  $\angle$  ABC = 70° and  $\angle$  ADC = 50°. Upon loaded mail and say 0.021 day



Calculate the difference in the amount spent

- (a) Calculate, correct to one decimal place:
  - (i) the length AC.

(2 marks)

(ii) the length DC.

(2 marks)

(iii) the size of angle BAD.

(3 marks)

(b) Calculate the area of the quadrilateral ABCD, correct to one decimal place. (3 marks)

$$(x-4)^2 = (x-8)(2x+7)$$
.

bas or 6 bas A to group a goir ag si(4 marks)

(b) John cycled 6 km from his home to school at an average speed of (2x - 3) km/h.

Peter walked 2.4 km from his home to the school at an average speed of x km/h. Peter took 16 minutes less than John.

Determine the time, in minutes, that John took to reach the school.

(6 marks)

2002

579

K



**22.** The position vectors of A and B are  $\begin{pmatrix} -4 \\ 6 \end{pmatrix}$  and  $\begin{pmatrix} -8 \\ 2 \end{pmatrix}$  respectively.

Point M is the midpoint of AB and point N is the midpoint of OA.

- (a) Find:
  - the vector AB. (i)

(2 marks)

the coordinates of points M and N. (ii)

(2 marks)

the magnitude of NM. (iii) Determine the time, in minutes, that John took to reac (3 marks)

The coordinates of a point C is (2, a). Vector CA is parallel to vector OB. (b)

Determine the value of a.

(3 marks)

23.	The masses of 40 adults who attended a h	health clinic were recorded as follows
	waatta who alleffled a	ieann cumic were recomed as ionows

64	50	58	73	51	42	58	46	
58	60	45	48	69	48	50	43	
52	64	58	46	59	54	41	61	
73	49	74	55	44	73	53		
62	47	66	52	60	61	54	70	

# (a) Complete the frequency distribution table below for the above information. Use classes of size 5 starting with the class 40 - 44. (4 marks)

Mass (kg)	Frequency (f)	Mid points (x)	fx	cf
40 - 44	1		40.40.40.40.	

(b) State the modal class.

(1 mark)

- (c) Estimate:
  - (i) the mean mass.

(2 marks)

(ii) the median mass.

(3 marks)

The equation of a curve is given as  $y = \frac{1}{3}x^3 - \frac{1}{2}x^2 - 2x - \frac{1}{3}x^3 - \frac{1}{3}x^3$ 24.

(a) Find:

579

(2 marks)

the value of y when x = -2. (i)

Complete the frequency distribution table below for the above information. Lie classes

the equation of the tangent to the curve at x = -2.

Determine the coordinates of the turning points of the curve.

(4 marks)

(b)

### THIS IS THE LAST PRINTED PAGE.