

MARKING SCHEME MATHEMATICS PAPER 1 (121 | 1)

MARKING SCHEME	MARKS	COMMENTS
----------------	-------	----------

1. Numerator

$$= (-8) \times 4 + 156 \div 2 \text{ of } (-43 + 30)$$

~~BODMAS~~

$$= -8 \times 4 + 156 \div (2 \text{ of } -13)$$

$$= -8 \times 4 + 156 \div (2 \times -13)$$

$$= -8 \times 4 + (156 \div -26)$$

$$= (-8 \times 4) + -6$$

$$= -32 + -6$$

$$= -32 - 6$$

$$= -38.$$

M₁

For -32 - 6

Denominator

$$= (-3) - (-8) \times 2 + 6$$

$$= -3 + (8 \times 2) + 6$$

$$= -3 + (16 + 6)$$

$$= -3 + 22$$

$$= 19.$$

M₁

For -3 + 22

$$\therefore \frac{N}{D} = \frac{-38}{19} = -2.$$

A₁

For Correct answer.

2. $= 3.045^2 + \frac{1}{\sqrt{49.24}}$

$$= 9.272 + \frac{1}{7.0171}$$

M₁

Correct square of 3.045 and square root of 49.24.

$$= 9.272 + 0.1426$$

M₁

Correct reciprocal of 7.0171

$$= 9.4146.$$

A₁

Correct Answer.

$$3. \angle AOB = 80 \times 2 = 160^\circ$$

$$\angle OAB = \angle OBA = \frac{180 - 160}{2} = \frac{20}{2} = 10^\circ \quad B_1$$

$$\angle \text{In Quadrilateral } OACB, \angle AOB = 360 - 160 = 200^\circ \quad \text{--- Obtuse}$$

$$\begin{aligned} \therefore \angle OAC &= 360 - (200 + 10 + 80) \\ &= 360 - 290 \\ &= 70^\circ \quad B_1 \end{aligned}$$

$$\begin{aligned} \therefore \angle CAB &= \angle OAB + \angle OAC \\ &= 10 + 70 \\ &= 80^\circ \quad B_1 \end{aligned}$$

$$\begin{aligned} 4. \text{(i)} \text{ Swiss Franc} &= 1.28 \text{ Deutsche Marks} \\ ? &= 52 \text{ Deutsche Marks} \\ &= \frac{1 \text{ Swiss Franc} \times 52 \text{ Deutsche Marks}}{1.28 \text{ Deutsche Marks}} \quad M_1 \\ &= 40.625 \text{ Swiss Francs} \\ &\approx 41 \text{ Swiss Francs} \quad A_1 \end{aligned}$$

$$\begin{aligned} \text{(ii)} \text{ 1 Swiss Franc} &= 45.21 \text{ Kshs.} \\ 41 \text{ Swiss Francs} &= ? \\ &= \frac{41 \text{ Swiss Francs} \times 45.21 \text{ Kshs}}{1 \text{ Swiss Franc}} \quad M_1 \\ &= 1853.61 \text{ Kshs.} \\ &\approx 1854 \text{ Kshs.} \quad A_1 \end{aligned}$$

$$5. = \frac{243^{-\frac{2}{5}} \times 125^{\frac{2}{5}}}{9^{-\frac{3}{2}}} = \frac{(3)^{-\frac{2}{5}} \times (5)^{\frac{2}{5}}}{(3^2)^{-\frac{3}{2}}}$$

B₁

Evidence of factorisation i.e. 243 & 125.

$$\begin{aligned} 243 &= 3^5 & 125 &= 5^3 & &= \frac{3^{-2} \times 5^2}{3^{-3}} \\ 3 \wedge 81 & & 5 \wedge 25 & & & \\ 3 \wedge 27 & & 5 \wedge 5 & & &= 3^{(-2--3)} \times 5^2 \\ 3 \wedge 9 & & 5 \wedge 1 & & & \\ 3 \wedge 3 & & & & &= 3^1 \times 5^2 \\ 3 \wedge 1 & & & & & \\ & & & & &= 3 \times 25 \\ & & & & &= 75. \end{aligned}$$

M₁

Writing in prime factors.

A₁

6. $4y + 2y = 90$
 $\frac{6y}{6} = \frac{90}{6} \frac{15}{1}$
 $y = 15^\circ$

M₁

A₁

7. Numerator

$$\begin{aligned} &= 3x^2 + 2xy + y^2 & &= 3x^2 + 2xy - y^2 \\ S &= -4 \left. \begin{array}{l} -3, -1 \\ P = 3 \end{array} \right\} & & S = 2 \left. \begin{array}{l} 3, -1 \\ P = -3 \end{array} \right\} \\ &= 3x^2 - 3xy^2 - xy^2 + y^2 & &= 3x^2 + 3xy - xy - y^2 \\ &= 3x(x - y^2) - y(x + y) & &= 3x(x + y) - y(x + y) \\ & & &= (3x - y)(x + y) \end{aligned}$$

M₁

Denominator

Difference of 2 sq. = $(3x - y)(3x + y)$

M₁

$$\frac{N}{D} = \frac{(3x - y)(x + y)}{(3x - y)(3x + y)}$$

$$= \frac{x + y}{3x + y}$$

A₁

$$8. \vec{PQ} = Q - P = \begin{pmatrix} 4 \\ 3 \end{pmatrix} - \begin{pmatrix} 3 \\ 4 \end{pmatrix} = \begin{pmatrix} 1 \\ -1 \end{pmatrix}$$

$$\vec{PR} = R - P = \begin{pmatrix} 1 \\ 6 \end{pmatrix} - \begin{pmatrix} 3 \\ 4 \end{pmatrix} = \begin{pmatrix} -2 \\ 2 \end{pmatrix}$$

$$\vec{PR} = -2 \begin{pmatrix} 1 \\ -1 \end{pmatrix} = -2 \vec{PQ}$$

$$\therefore \vec{PR} = -2 \vec{PQ}$$

$\therefore \vec{PR} \parallel \vec{PQ}$ and point $P(3,4)$ is a common point.

9. Distance by P in 2 hrs = $60 \times 2 = 120 \text{ km}$

Relative speed = $100 - 60 = 40 \text{ km/hr}$

Time to overtake = $\frac{120}{40} = 3 \text{ hrs.}$

9.30
+ 3.00

12.30 pm.

M_1 Relative speed

M_1 Time add

A_1

\Rightarrow

$$10. \text{ Area of sector} = \frac{\theta}{360} \pi r^2$$

$$\therefore \frac{72}{360} \times \pi \times r^2 = 5\pi$$

$$r^2 = \frac{5\cancel{\pi} \times 360}{72 \times \cancel{\pi}}$$

$$r = \sqrt{25} = 5 \text{ cm}$$

$$\text{Area of shaded part} = 5\pi - \frac{1}{2} \times 5^2 \sin 72^\circ$$

$$= 5\pi - 11.89$$

$$= 3.818 \text{ cm}^2$$


$$11. \text{ L.S.F} = \sqrt{\frac{108}{12}} = 3$$

$$\text{V.S.F} = \frac{(3)^3}{(1)} = \frac{27}{1}$$

$$\therefore \frac{27}{1} \times \frac{810}{S}$$

$$= \frac{27S}{27} = \frac{810 \times 1}{27}$$

$$S = 30 \text{ cm}^3$$



12.

B₁ Well labelled
 B₁ Not Correctly drawn.
 B₁ Dotted lines

B. GCD of 234, 270 and 324

2	234	270	324
3	117	135	162
3	39	45	54
	13	15	18

B₁

$$\therefore \text{GCD} = 2 \times 3 \times 3 = 18 \text{ cm.}$$

A₁

Length of longest piece = 18 cm.

$$\text{Total no. of pieces} = \frac{234}{18} + \frac{270}{18} + \frac{324}{18}$$

M₁

$$= 13 + 15 + 18 = 46 \text{ pieces.}$$

A₁

$$14. \boxed{3x-9 < 5x+3 \leq 2x-6}$$

$$3x-9 < 5x+3 \quad \text{and} \quad 5x+3 \leq 2x-6$$

$$3x-5x < 3+9 \quad 5x-2x \leq -6-3$$

$$-2x < 12 \quad \frac{3x \leq -9}{3 \quad 3}$$

$$\therefore x > \frac{12}{-2}$$


$$x \leq -3$$

$$B_1 \quad x > -6$$

$$x > -6$$

$$B_1 \quad x \leq -3$$

$$-6 < x \leq -3$$



B₁

$$x = -5, -4, -3$$

$$15(a) \quad A(-2, 6) \quad B(4, 2)$$

$$M = \left(\frac{x_1 + x_2}{2}, \frac{y_1 + y_2}{2} \right)$$

$$M = \left(\frac{-2+4}{2}, \frac{6+2}{2} \right) = (1, 4)$$

M₁

$$M(1, 4)$$

A₁

$$(b) \text{ Gradient of } AB = \frac{2-6}{4-(-2)} = \frac{-4}{6} = -\frac{2}{3}$$

$$(1, 4) \quad (x, y)$$

$$M_1 M_2 = -1 \quad \frac{3x-2}{2} \times M_2 = -1 \times \frac{3}{2}$$

$$\frac{y-4}{x-1} = -\frac{3}{2}$$

$$M_2 = -\frac{3}{2}$$

M₁

$$2(y-4) = -3(x-1)$$

$$2y-8 = -3x+3$$

$$\frac{2y}{2} = \frac{-3x+11}{2}$$

$$y = -\frac{3}{2}x + \frac{11}{2}$$

A₁

16(a) Let the exterior \angle be X

$$\therefore X + X + 120 = 180$$

$$2X = 180 - 120$$

$$\frac{2X}{2} = \frac{60}{2}$$

$$X = 30^\circ$$

$$\text{No. of Sides} = \frac{360}{30} = 12 \text{ Sides}$$

M_1

A_1

(b) Length of the Side = $\frac{120}{12} = 10 \text{ cm}$

B_1

17(a)(i) $\vec{AB} = \vec{AO} + \vec{OB}$

$$\vec{AB} = -\underline{a} + \underline{b}$$

B_1

(ii) $\vec{ON} = \vec{OA} + \vec{AN}$

$$\vec{ON} = \underline{a} + \frac{1}{3} \vec{AB}$$

$$\vec{ON} = \underline{a} + \frac{1}{3} (-\underline{a} + \underline{b})$$

$$\vec{ON} = \underline{a} - \frac{1}{3} \underline{a} + \frac{1}{3} \underline{b}$$

$$\vec{ON} = \frac{2}{3} \underline{a} + \frac{1}{3} \underline{b}$$

B_1

(iii) $\vec{BM} = \vec{BO} + \vec{OM}$

$$\vec{BM} = -\frac{1}{2} \underline{b} + \frac{2}{5} \underline{a}$$

B_1

$$(b) \vec{OX} = k \vec{ON}$$

$$\vec{OX} = k \left(\frac{2}{3} \vec{a} + \frac{1}{3} \vec{b} \right)$$

$$\vec{OX} = \frac{2}{3} k \vec{a} + \frac{1}{3} k \vec{b} \quad \text{--- eqn (i)}$$

$$\vec{OX} = \vec{OB} + \vec{BX}$$

$$\vec{OX} = \vec{b} + h \vec{BM}$$

$$\vec{OX} = \vec{b} + h \left(-\vec{b} + \frac{2}{5} \vec{a} \right)$$

$$\vec{OX} = \vec{b} - h \vec{b} + \frac{2}{5} h \vec{a}$$

$$\vec{OX} = (1-h) \vec{b} + \frac{2}{5} h \vec{a} \quad \text{--- eqn (ii)}$$

$$\frac{2}{3} k \vec{a} + \frac{1}{3} k \vec{b} = (1-h) \vec{b} + \frac{2}{5} h \vec{a}$$

$$\frac{2}{3} k \vec{a} = \frac{2}{5} h \vec{a} \quad \text{and} \quad \frac{1}{3} k \vec{b} = (1-h) \vec{b}$$

$$\frac{5}{3} \left(\frac{2}{3} k \right) = \left(\frac{2}{5} h \right) \times 5 \quad \text{--- (3)}$$

$$\frac{5}{3} \times \frac{1}{3} k = (1-h) \times 3$$

$$10k = 6h$$

$$k = 3 - 3h$$

$$10k - 6h = 0$$

$$k + 3h = 3$$

$$k = 3 - 3h$$

$$10(3 - 3h) - 6h = 0$$

$$k = 3 - 3 \left(\frac{5}{6} \right)$$

$$30 - 30h - 6h = 0$$

$$\begin{aligned} -36h &= -30 \quad \text{--- (5)} \\ -36 &+ 36 &+ 36 &+ 6 \end{aligned}$$

$$k = \frac{3 - 15}{6} = \frac{12 - 15}{6}$$

$$h = \frac{5}{6}$$

$$k = \frac{3 - 15}{6} = \frac{1}{2}$$

$$h = \frac{5}{6}, \quad k = \frac{1}{2}$$

$$(c) OX : XN = 1 : 1$$

18. Age group	F	M.P(x)	Fx	C.F	Fd		
1-5	4	3	12	4	0.8	B ₁	Correct Column of Fx
6-10	12	8	96	16	2.4		
11-20	9	15.5	139.5	25	0.9		
21-30	6	25.5	153	31	0.6		
31-50	18	40.5	729	49	0.9	B ₁	For C.F
51-55	4	53	212	53	0.8		
56-65	2	60.5	121	55	0.2		
	$\Sigma F = 55$		$\Sigma Fx = 1462.5$				



Q (i) Mean $(\bar{x}) = \frac{\Sigma Fx}{\Sigma F} = \frac{1462.5}{55}$
 $= 26.59$

M₁

A₁

(ii) Median Value = $\frac{55+1}{2} = 28^{\text{th}}$ value -

$$28^{\text{th}} \text{ value} = 20.5 + \left(\frac{28-25}{6} \right) 10$$

M₁


$$= 20.5 + \left(\frac{3}{6} \right) 10$$

$$= 20.5 + 5$$

$$= 25.50$$

A₁

(b) Frequency polygon



19.

$$\text{a(i)} \quad \begin{array}{cccc} & A & B & C & D & & A' & B' & C' & D' \\ \begin{bmatrix} 0 & 1 \\ -1 & 0 \end{bmatrix} & \begin{bmatrix} 1 & 6 & 6 & 2 \\ 1 & 2 & 6 & 6 \end{bmatrix} & = & \begin{bmatrix} 1 & 2 & 6 & 6 \\ -1 & -6 & -6 & -2 \end{bmatrix} \end{array}$$

$$A'(1, -1), B'(2, -6), C'(6, -6), D'(6, -2)$$


$$\text{(ii)} \quad \begin{array}{cccc} & A' & B' & C' & D' & & A'' & B'' & C'' & D'' \\ \begin{bmatrix} 0 & 1 \\ 1 & 0 \end{bmatrix} & \begin{bmatrix} 1 & 2 & 6 & 6 \\ -1 & -6 & -6 & -2 \end{bmatrix} & = & \begin{bmatrix} -1 & -6 & -6 & -2 \\ 1 & 2 & 6 & 6 \end{bmatrix} \end{array}$$

$$A''(-1, 1), B''(-6, 2), C''(-6, 6), D''(-2, 6)$$

$$\text{(i)} \quad \begin{array}{cccc} & A'' & B'' & C'' & D'' & & A''' & B''' & C''' & D''' \\ \begin{bmatrix} 1 & 1 & 0 \\ 0 & -1 \end{bmatrix} & \begin{bmatrix} -1 & -6 & -6 & -2 \\ 1 & 2 & 6 & 6 \end{bmatrix} & = & \begin{bmatrix} 1 & 6 & 6 & 2 \\ 1 & 2 & 6 & 6 \end{bmatrix} \end{array}$$

$$\text{(iii)} \quad \begin{array}{cccc} & A'' & B'' & C'' & D'' & & A''' & B''' & C''' & D''' \\ \begin{bmatrix} 0 & -1 \\ 1 & 0 \end{bmatrix} & \begin{bmatrix} -1 & -6 & -6 & -2 \\ 1 & 2 & 6 & 6 \end{bmatrix} & = & \begin{bmatrix} -1 & -2 & -6 & -6 \\ -1 & -6 & -6 & -2 \end{bmatrix} \end{array}$$

$$A'''(-1, -1), B'''(-2, -6), C'''(-6, -6), D'''(-6, -2)$$



2(a) Let the cows be x

Goats y

$$2x + 9y = 98200$$

$$3x + 4y = 96000$$

B_1

B_1

$$(b) \begin{bmatrix} 2 & 9 \\ 3 & 4 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 98200 \\ 96000 \end{bmatrix}$$

$$\text{Det} = (2 \times 4) - (9 \times 3)$$

$$= 8 - 27$$

$$= -19.$$

$$\text{Inverse} = \frac{1}{-19} \begin{bmatrix} 4 & -9 \\ -3 & 2 \end{bmatrix}$$

Pre-multiply both sides by the inverse

$$= \frac{1}{-19} \begin{bmatrix} 4 & -9 \\ -3 & 2 \end{bmatrix} \begin{bmatrix} 2 & 9 \\ 3 & 4 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \frac{1}{-19} \begin{bmatrix} 4 & -9 \\ -3 & 2 \end{bmatrix} \begin{bmatrix} 98200 \\ 96000 \end{bmatrix}$$

$$= \begin{bmatrix} 1 & 0 \\ 0 & 1 \end{bmatrix} \begin{bmatrix} x \\ y \end{bmatrix} = \frac{1}{-19} \begin{bmatrix} -471,200 \\ -102,600 \end{bmatrix}$$

$$\begin{bmatrix} x \\ y \end{bmatrix} = \begin{bmatrix} 24800 \\ 5400 \end{bmatrix}$$

1 Cow Costs Sh. 24800

1 goat Costs Sh. 5400.

$$C(i) = \left(\frac{130}{100} \times 24800 \right) 2 + \left(\frac{140}{100} \times 5400 \right) 9$$


$$= (32240) 2 + (7560) 9$$

$$= 64480 + 68040 = \text{Sh. } 132,520.$$

$$(ii) \% \text{ Profit} = \left(\frac{132520 - 98200}{98200} \right) \times 100$$

$$= \underline{34.95\%}$$

21. (a)



~~MCQ~~

$$\frac{9}{4} = \frac{13+L}{L}$$

$$9L = 52 + 4L$$

$$9L - 4L = 52$$

$$\frac{5L}{5} = \frac{52}{5}$$

$$L = 10.4 \text{ cm}$$

M ₁	For L
M ₁	S.A Cylinder
M ₁	SA Cone
M ₁	S.A Base
A₁	Total
A ₁	Total

$$S.A = (\pi \times 8 \times 10) + (\pi \times 9 \times 23.4 - \pi \times 4 \times 10.4) + \pi \times 9^2$$

$$= 80\pi + 169\pi + 81\pi$$

$$= 330\pi \text{ cm}^2$$

$$\begin{aligned} \text{(b) Height of Frustum} &= \sqrt{(23.4^2 - 9^2)} - \sqrt{(10.4^2 - 4^2)} \\ &= 21.6 - 9.6 \\ &= 12 \end{aligned}$$

$$h = \sqrt{10.4^2 - 4^2} = 9.6$$

M₁

$$\text{Volume} = \left(\frac{1}{3} \times \pi \times 9^2 \times 21.6 - \frac{1}{3} \times \pi \times 4^2 \times 9.6 \right) + (\pi \times 4^2 \times 10)$$

M₁, M₁

$$= (583.2\pi - 51.2\pi) + 160\pi$$

$$= 532\pi + 160\pi$$

M₁

$$= 692\pi \text{ cm}^3$$

A₁

$$\begin{aligned}
 22. (a) \quad DC &= \sqrt{3^2 + 5^2} \\
 &= \sqrt{34} \\
 &= 5.8 \text{ cm.}
 \end{aligned}$$

M₁

A₁

$$(b) \quad \tan \alpha = \frac{5}{6} = 1.667$$

M₁

$$\alpha = \tan^{-1} 1.667$$

$$\alpha = 59.0^\circ$$

A₁

$$(c) \quad c^2 = a^2 + b^2 - 2ab \cos \theta$$

$$\cos \theta = \frac{8^2 + 5^2 - 11^2}{2 \times 8 \times 5}$$

M₁

$$\cos \theta = -0.4$$

$$\theta = \cos^{-1}(-0.4)$$

$$\theta = 113.6^\circ$$

M₁

A₁

$$(d) \quad \text{Area} = \left(\frac{1}{2} \times 3 \times 5 \right) + \left(\frac{1}{2} \times 5 \times 8 \sin 113.6 \right)$$

M₁ M₁

$$= 7.5 + 18.3$$

$$= 25.8 \text{ cm}^2$$

A₁

$$23. (a) S = (4^3) - 5(4^2) + 4(4) + 3 \\ = 3 \text{ m.}$$

M1

A1

$$(b) V = \frac{ds}{dt} = 3t^2 - 10t + 4$$

M1

$$= 3(4^2) - 10(4) + 4$$

M1

$$= 12 \text{ m/s}$$

A1

$$(c) 3t^2 - 10t + 4 = 0.$$

M1

$$t = \frac{10 \pm \sqrt{100 - 48}}{6}$$

M1 ~~M1~~

$$\therefore t = 2.87 \text{ and } t = 0.46$$

A1

$$(d) a = \frac{dv}{dt} = 6t - 10$$

$$= 6(3) - 10$$


M1

$$= 18 - 10$$

$$= 8 \text{ m/s}^2.$$

A1

24(a)



B ₁	B Correctly located
B ₁	C Correctly located
B ₁	D Correctly located
B ₁	Complete diagram ABCD

(b) (i) Bearing of B from D = 211°

B₁B₁

(ii) Distance AD = $7.6 \times 20 = 152 \text{ km}$

B₁B₁

(iii) Bearing of A from C = 273°

B₁

(iv) Distance BD = $5.8 \times 20 = 116 \text{ km}$

B₁