

Name.....ADM. No.....

SCHOOL.....

Candidate's Signature.....Date.....

Marking Scheme

232/2
PHYSICS
THEORY
PAPER 2
September 2021
TIME: 2 HOURS

PHYSICS JOINT EXAMINATIONS

Kenya Certificate of Secondary Education (K.C.S.E.)

232/2
PHYSICS
Paper 2
2 hours

INSTRUCTIONS TO CANDIDATES

- Write your name and index number in the spaces provided.
- Mathematical tables and non-programmable calculators may be used.
- This paper consists of section A and section B.
- Attempt all the questions in the spaces provided.
- ALL working MUST be clearly shown.

For Examiners Use

SECTION	QUESTIONS	MAXIMUM SCORE	CANDIDATE'S SCORE
A	1 – 12	25	
B	13	13	
	14	15	
	15	15	
	16	12	
	TOTAL	80	

This paper consists of 15 printed pages. Candidates should check to ascertain that all pages are printed as indicated and that no questions are missing

Section A (25 marks)

1. An object pin is placed in front of a plane mirror. The image of the pin is viewed from position A. Draw array diagram to show this image. (2 marks)




Figure 1

2. You are provided with two rods, a conductor and an insulator. Describe how you would use a charged gold-leaf electroscope to distinguish between the insulator and a conductor. (2 marks)

- Bring each rod near the cap of a charged gold leaf electroscope ✓
- A conductor will discharge an electroscope ✓ while an insulator has no effect on charged electroscope ✓

3. A pin-hole camera of length 10 cm is placed 0.5 m away from a goalpost. A sharp image of the goalpost 15 cm high is formed on the screen. Determine the height of the goalpost. (2 marks)


$$\frac{H_I}{H_0} = \frac{v}{u}$$

$$\frac{15}{H_0} = \frac{10}{500} \quad \checkmark$$

$$H_0 = \frac{15 \times 500}{10} = 75 \text{ m} \quad \checkmark$$

Height H_0 of goal post = 75 m.

4. The figure 2 below shows a displacement-time graph of a particular progressive wave.



Period $T_1 = 0.4 \text{ (s)}$
 frequency $f_1 = \frac{1}{T_1} = 2.5 \text{ Hz}$

Frequency $f_2 = 2f_1 = 5.0 \text{ Hz}$
 Period $T_2 = \frac{1}{f_2} = 0.2 \text{ (s)}$

Figure 2

Draw on the same diagram, a wave which passes through the points with double frequency and half amplitude of the first wave. (2 marks)

5. Explain how temperature affects the speed of sound in gases (1 mark)

Increase in temperature increases vibrations of air particles, thus collisions between them increase and faster transmission of sound energy. \checkmark

6. A polythene charged strip is brought near two spheres A and B that are in contact as shown in figure 3




Figure 3(a)

Insulating handle




Figure 3(b)

- (i) indicate the charge distribution the spheres when negatively charged polythene is brought near A. (1 mark)
- (ii) draw the charge distribution on A and B shown in (b) when the spheres are separated and immediately polythene withdrawn. (2 marks)

7. Three identical lamps X, Y, Z are connected as in figure 4. The E.m.f applied in the circuit 3.0 volts




Figure 4.

- (i) State which lamp is brightest when circuit is closed? (1 mark)

Bulb Z ✓ (1 mark)

- (ii) Explain your answer in part (i) above. (2marks)

- Bulb X and Y Share the current of the main source but bulb Z receives the total current from main source.

8. Figure 5 shows an iron rod on which a wire is to be wound to make an electromagnet.




Figure 5

By drawing, show how two cells are connected so that end A becomes North pole and end B south pole. (2marks)

Cell shown correctly — IML
 Direction of current — IMR.

9. The force on a conductor carrying current in a magnetic field can be varied by changing, among others, the magnitude of the current and magnetic field strength. State two other factors that can be changed to vary the force. (2marks)

- Length of the conductor / increasing number of turns of the coil

Using a soft iron core or windup wire on soft iron ✓

- Q10. In a Magnet, all dipoles are alligned to face one direction ✓ |
- In a Magnetic Material, dipoles exist in loops that make it neutral. ✓ |

11. Figure 6 shows water waves traveling from deep into shallow water.





Figure 6

- The crest and troughs are close to each other
- Wavelength is reduced.

Complete the wave front to show how it travels in shallow water (1 mark)

12. Figure 7. Shows two rays incident on a converging lens



(at f)
Position of Image — 1 m
Intersecting rays — 1 m

Figure 7.

- (i) Draw the ray after refraction to show positions of the image. (2marks/)

- (ii) State the application of this arrangement in (i) above (1 mk).

Telescope eyepiece. ✓ |

Section B(55 marks)

13. (a) Define refractive index of a material in terms of velocity of light. (1 mark)

Is the ratio of speed of light in air to the speed of light in the material. — (1 mark)

- (b) state the conditions necessary for a total internal reflection to occur (2 marks)

• Light must travel from more ^{optically} denser medium to less optically dense medium. ✓ 1mk.

- (ii) State the application of this arrangement in (i) above (1 mark).

Telescope eyepiece. ✓

Section B(55 marks)

13. (a) Define refractive index of a material in terms of velocity of light. (1 mark)

Is the ratio of speed of light in air to the speed of light in the material. — (1 mark)

- (b) state the conditions necessary for a total internal reflection to occur (2 marks)

Light must travel from more ^{optically} denser medium to less optically dense medium. ✓ 1 mark.

- (ii) State the application of this arrangement in (i) above (1 mark).

Telescope eyepiece. ✓

Section B(55 marks)

13. (a) Define refractive index of a material in terms of velocity of light. (1 mark)

Is the ratio of speed of light in air to the speed of light in the material. — (1 mark)

- (b) state the conditions necessary for a total internal reflection to occur (2 marks)

• Light must travel from more ^{optically} denser medium to less optically dense medium ✓ 1mk.
— angle of incidence must be greater than critical

- (i) Determine the refractive index of glass with respect to air. (3 marks)

$$\frac{\sin i}{\sin r} = n_{ga}$$

$$n_{ag} = \frac{1}{n_{ga}} = \frac{\sin r}{\sin i} = \frac{\sin 40}{\sin 30} = 1.286 \quad \checkmark \text{ 1mk} \quad \checkmark \text{ 1mk}$$

(reversibility of light principle)

- (ii) In addition to the circular glass, you are provided with; a ray box (source of light ray), four office pins, soft board, white paper and a protractor, describe how this apparatus may be used to determine the critical angle of the glass. (4marks)

- Trace the Semicircular glass on a white paper fixed in soft board
 - Remove the glass and draw a normal line at middle of flat side of the trace.
 - Measure say $i = 10^\circ$ on left side of the normal on curved part of the circular glass.
 - Place ray box so that light is about 10° from the normal and observe the refracted ray from the flat side.
 - Increase the angle between normal and light ray until the refracted ray follows the boundary. Measure angle of incident which is the critical angle.
- (iii) Determine the critical angle of this semicircular glass. (3 marks)


$$\sin c = \frac{1}{n_{ag}} = \frac{\sin i}{\sin r} = \frac{\sin 30}{\sin 40} \quad \checkmark \text{ 1mk}$$

$$c = \sin^{-1}(0.7799)$$

$$= \underline{51.1^\circ} \quad \checkmark \text{ 1mk}$$

14.(a) you are provided with three resistors 1Ω , 3Ω and 6Ω .

- (i) Draw a circuit diagram to show 6Ω and 3Ω resistors in parallel and this combination in series with 2Ω resistor and the 6 V battery. (2marks).



Working Circuit — 1mk
Position of resistors — 1mk

- (ii) Determine the total effective resistance in the circuit drawn in (i) above (2 marks)

$$R_T = \frac{6 \times 3}{6 + 3} + 2 \quad \checkmark 1 \text{ (mk)}$$

$$= 4 \Omega \quad \checkmark 1 \text{ (mk)}$$

- (iii) Calculate the p.d across a 2Ω resistor (2 marks)

$$I = \frac{V}{R} = \frac{6}{4} = 1.5 \text{ A}$$

$$V_{\text{across } 2\Omega} = IR \quad \checkmark 1$$

$$= 1.5 \times 2 \quad \checkmark 1$$

$$= 3.0 \text{ V} \quad \checkmark 1$$

- (iv) Determine the value of current through the 6Ω resistor (3 marks)

$$V_{\text{across the parallel}} = 6 - 3 = 3 \text{ V} \quad \text{--- (1 mark)}$$

$$I_{\text{through } 6\Omega} = \frac{V}{R} = \frac{3}{6} = \frac{1}{2} = 0.5 \text{ A} \quad \checkmark 1 \text{ mark}$$





Figure 9.

Current (A)

- (b) Figure 9, shows a graph of potential difference (V) against current (I A) through a filament lamp (bulb)

- (i) Draw a well labeled working circuit diagram showing the apparatus that can be used to obtain a set of readings used to draw the graph in (figure 9). (2 marks)



Labelling — 1 (mark)

Working diagram — (1 mark)

- (ii) explain why the filament lamp does not obey ohm's law (2 marks)

At high current, temperature of wire increases.
 And therefore voltage does not increase linearly as current further increases.

- (iii) Explain how resistance of the filament lamp varies as current increases. (1 mark).

As current increases, number of vibrations of atoms increases and this opposes smooth flow of electrons.

- (iv) State the characteristics of material wire used in the filament lamp. (1 mark).

- Thin wire and long.
 - High resistance wire.
- } any 1 mark

15. (a) define capacitance of a capacitor. (1 mark)

It is the charge stored in a capacitor per unit volt. (1 mark)


- (b)(i) Describe the essential features in the construction of a parallel plate capacitor. (3 marks)

- Two parallel metal plates or electrodes
- An insulating material between them
- Two wires, one leading to +ve terminal of a cell to one plate (+ve) and the other to negative terminal of a cell.

(iii) Explain how charge is distributed in such parallel capacitor in b(i) above.

Charges
 • negative charges from -ve terminal accumulate at -ve plate and an equal number of +ve charges accumulate at +ve plate. (2 marks)

(c) In an experiment to charge a capacitor, the charge stored was measured for different values of charging potential difference. A graph of charge stored Q (μC) (y-axis) against potential difference p.d (v) was plotted as shown graph 1.




(i) list down the apparatus used to perform this experiment (1 mark)

- Variable resistor
- low voltage cell
- capacitor
- milliammeter / Galvanometer
- voltmeter
- Switch.

Any 5 — (1 mark)

- (ii) draw a circuit diagram showing all connections of the listed apparatus in (i) above to perform the experiment of charging a capacitor. (2 marks)



From the graph

- (ii) determine the capacitance of the capacitor used in this experiment. (3 marks)

$$\begin{aligned}
 C &= \frac{Q}{V} = \text{gradient of the line } \checkmark (1 \text{ mark}) \\
 &= \frac{(60 - 30) \times 10^{-6}}{8 \times 10^{-4}} \checkmark (1 \text{ mark}) \quad (\text{chosen from graph}) \\
 &= \underline{\underline{7.5 \mu\text{F}}} \checkmark (1 \text{ mark})
 \end{aligned}$$

- (iii) Calculate the energy stored in this capacitor. (2 marks)

$$\begin{aligned}
 \text{Energy} &= \frac{1}{2} Q V \checkmark \\
 &= \frac{1}{2} \times 90 \times 10^{-6} \times 12 \checkmark \\
 &= 5.40 \times 10^{-4} \text{ joules } \checkmark
 \end{aligned}$$

(d) Three capacitors are connected as shown in figure 10.




Figure 10

Calculate:

(i) total effective capacitance in the circuit. (2 marks)

$$C_T = \frac{5 \times 4}{4 + 5} + 3 \quad \checkmark \text{ 1 mark}$$

$$= 5.222 \mu\text{F} \quad \checkmark \text{ 1 mark}$$

(ii) The charge on a 4.0 μF capacitor. (2 marks)

$$Q = CV$$

$$= 5.222 \times 10^{-6} \times 8$$

$$= 41.78 \times 10^{-6} \text{ C.} \quad \checkmark \text{ 1 mark}$$

$$Q_{3.0} = 3 \times 10^{-6} \times 8$$

$$= 24 \times 10^{-6} \text{ C} \quad \checkmark \text{ (1 mark)}$$

$$Q_{\text{in } 4.0} = (41.78 - 24) \times 10^{-6}$$

$$= 17.78 \times 10^{-6}$$

$$= 1.778 \times 10^{-5} \text{ C} \quad \checkmark \text{ (1 mark)}$$

16. (a) Complete figure 11 by drawing two rays to show the final image formed by convex lens of the object O, shown (2 marks)




Figure 11

Position of image — 1 mks

Two intersecting produced lines — 1 mks

(b) Describe the characteristics of the image formed in 16 (a) above (3 marks)

- Erect/upright
- Virtual
- Magnified
- Same side as object.

} Any 3 x 1 = 3 mks

(c) State the optical device that uses the arrangement in (a) above. (1 mark)

Eye piece of a compound microscope.

(d) A person viewing a near object switches attention to look at an aero-plane far away.


(i) State the change that occurs in his eye in order to see the aero-plane clearly. (2 marks)

- (ii) If this person fails to see the aero-plane clearly, what defect is he suffering from? (1 mark)

Long Sightedness (hypermetropia) ✓ 1 mark

- (iii) Explain with a diagram how the defect can be corrected. (3 marks)

A Converging lens is used to refract the rays of light before the eye lens refracts them further. ✓ 1



Explanation — 2 marks
Diagram — 1 mark

..... END.....